

XTREME POWER CONVERSION

THE VALUE LEADER IN POWER PROTECTION



Xtreme Power is a global manufacturer of power quality and data center solutions

- Xtreme Power manufactures UPS from 400VA to 40kVA
- Designs, engineers, and services UPS, rack power distribution units, and portable cooling products for a global network of OEMs and distributors
- Distribution centers across the U.S. and Europe ensure fast and accurate delivery of all products
- Marketing support is available in the form of customizable product flyers that can be downloaded from www.xpcc.com; additionally, the online UPS selector tool allows a UPS to be easily sized www.xpcc.com/selector



Ten reasons to partner with Xtreme Power

Three (3) Year Warranty

Our UPS electronics and batteries are covered for three years on most models with an upgrade to five years on select products

18 Hour Battery Runtimes

Each NXRT battery pack includes an internal charger which enables a standard runtime of up to 18 hours with just a four hour recharge

Better Customer Service

Located in Denver, CO and Necedah, WI, our Customer Support Teams provide comprehensive and immediate technical support

Quick Shipping

Same-day shipping is available from our distribution centers in Denver, Baltimore, and Rotterdam, NL

Most Power in the Smallest Space

The P90-3000 UPS provides 3kVA/2.7kW of 120V power in just 2U of rack space. Our new online R90-20kVA three-phase UPS offers 415/240V in just 6U which includes both the UPS and batteries

UPS Systems from 400VA to 20kVA

Available in standby, line-interactive, line-interactive sine wave and online topologies

Hot Swappable UPS

The XBDM enables a full wrap-around bypass of rack mount UPS which means the UPS can be repaired or replaced without loss of power to the protected load

Wall, Rack, and Floor Mounting

5-1 mounting brackets enable the NXRT to be installed on a wall, front two post, middle two post, four post rack, and floor

98% Efficiency

Achieve maximum Power Usage Effectiveness (PUE) through the ECO mode feature which is standard on our new P90 and R90 UPS systems

Amazing Prices

Xtreme Power UPS systems allow for 30% in savings over comparable products from APC, Emerson, Liebert, or Eaton

Xtreme Power Customers



XTREME POWER

XST Standby UPS // 120VAC

For more information, visit www.xpcc.com/xst

Safeguard your home office equipment from power outages, power surges, and brownouts



Product Snapshot

- 400VA, 600VA, 800VA models
- 120VAC
- Compact size
- Desk, floor or wall mount
- 2 years electronics, 2 years battery warranty (USA only)

Features

- Microprocessor control
- USB communications
- Auto restart
- Cold start function
- Full protection
- \$25,000 load protection policy

XTREME POWER

S70 Line Interactive UPS // 120VAC

For more information, visit www.xpcc.com/s70

Reliable power protection for servers, VoIP equipment, and business telephone systems



Product Snapshot

- 500VA, 700VA, 1000VA, 1500VA, 2000VA models
- Smart LCD display
- Sleek, compact design
- Plug & play functionality
- 3 years electronics, 3 years battery warranty (USA only)

Features

- Ready to back up your equipment right out of the box
- Monitor UPS vitals and manage all power devices via USB
- Seamlessly installs with Mac, Windows & Linux OS
- Sleek, compact design perfect for use in any small office
- Automatic voltage regulation (AVR)
- Wide operating voltage range improves battery life*
- Capable of up to 146 minutes of battery backup
- \$25,000 load protection policy

* View the full runtime chart at www.xpcc.com/s70

XTREME POWER

XVT Line Interactive UPS // 120VAC

For more information, visit www.xpcc.com/xvt

Cost effective backup power solution
for small office and point of sale
applications



Product Snapshot

- 600VA, 800VA, 1200VA, 1500VA models
- 120VAC
- Quiet operation
- Compact design
- UL/FCC compliant
- 2 years electronics, 2 years battery warranty (USA only)

Features

- Long runtimes for added protection during power outages
- USB & monitoring software enables plug and play communications between servers, desktop computers and the UPS
- Wide operating voltage range improves battery life
- Automatic voltage regulation (AVR)

XTREME POWER

XVRT Line Interactive UPS // 120VAC

For more information, visit www.xpcc.com/xvrt

Reliable power protection for servers, VoIP equipment, and business telephone systems



Product Snapshot

- 1000VA, 1500VA, 2200VA, 3000VA models
- Rack, tower, or wall mount
- UL, cUL, FCC agency listed
- RoHS compliant - select models
- Automatic Voltage Regulation (AVR)
- 3 years electronics, 1 year battery warranty (USA only)

Features

- Multi form factor
- Multiple communications capability
- Intuitive LED display
- 50/60Hz frequency auto-sensing
- Tel/data protection
- UPS monitoring software
- Short circuit and overload protection

XTREME POWER

For more information, visit www.xpcc.com/p90

P90 Online UPS // 120VAC or 208/230VAC (P90g-3000)

Slim 2U form factor UPS delivers clean and continuous power to IT equipment during power disturbances



Product Snapshot

- 1000VA, 1500VA, 2000VA, 3000VA models
- 98% efficiency in ECO mode
- Programmable outlets
- Tower and 2U rack mounting with 4-post rail kit and tower pedestals
- UL, cUL, FCC, RoHS
- 3 years electronics, 3 years battery warranty (USA only)

Features

- 0.9 output power factor
- 98% efficient operation
- Smart LCD display
- Frequency converter
- Multiple communications capability
- Hot swappable battery
- Load shedding capabilities
- Maintenance bypass
- \$50,000 load protection policy

XTREME POWER

For more information, visit www.xpcc.com/p90l

P90L Online UPS // 120VAC or 208/230VAC (P90Lg-3000)

Online UPS with a powerful charger for extended battery runtimes



Product Snapshot

- P90L-1500, 2000, 3000 models
- Tower, 2-post, and 4-post rack mounting configurations available
- UL, cUL, FCC, RoHS
- 3 years electronics, 3 years battery warranty (USA only)

Features

- 0.9 output power factor
- 98% efficient operation
- Smart LCD display
- Frequency converter
- Multiple communications capability
- Hot swappable battery
- Load shedding capabilities
- Extended runtimes
- \$50,000 load protection policy

XTREME POWER

For more information, visit www.xpcc.com/p90l

P90L 6kVA & 10kVA Online UPS // 208/230VAC

Online UPS with a powerful charger for extended battery runtimes



Product Snapshot

- 6kVA and 10kVA models
- Charger capacities up to 1.1kW
- Tower, 2-post, and 4-post rack mounting configurations available
- UL, cUL, RoHS
- 3 years electronics, 3 years battery warranty (USA only)

Features

- 0.9 output power factor
- 98% efficient operation
- Smart LCD display
- Frequency converter
- Multiple communications capability
- Hot swappable battery
- Extended runtimes
- \$50,000 load protection policy

P90L 6kVA is now standard with L6-30P input cord and L6-30R output cord

XTREME POWER

NXRT Online UPS // 120VAC

For more information, visit www.xpcc.com/nxrt

Online UPS with a powerful charger for extended battery runtimes



Product Snapshot

- 1000VA, 1500VA, 2000VA, 3000VA models
- Almost infinite scalable runtimes
- Fast battery recharge
- Low noise and less power consumption
- UL/FCC compliant
- 3 years electronics, 3 years battery warranty (USA only)

Features

- Offers up to 18 hours of battery runtime
- Multiple communications capability via RS232 & Web/SNMP
- Tower and rack mount form factor
- Hot swappable battery trays deliver clean power to equipment during battery replacement
- \$50,000 load protection policy

XTREME POWER

For more information, visit www.xpcc.com/t90

T90 Online Tower UPS // 120VAC or 208/230VAC (T90i-1500 only)

An online UPS that allows for the best in protection for critical applications in a wide variety of environments



Product Snapshot

- 700VA, 1000VA, 1500VA, 2000VA, 3000VA models
- Online double conversion technology
- Scalable runtimes
- Multiple communications technology
- UL, cUL, FCC, CE
- 3 years electronics, 3 years battery warranty (USA only)

Features

- High efficiency mode
- Battery replacement warning
- Load segment control
- Generator compatibility
- Multiple communications capability
- Extended battery packs
- Emergency power off
- \$50,000 load protection policy

XTREME POWER

TX90 Isolated Online UPS // 230VAC or 120VAC

Online UPS with isolation transformer for complete power protection

For more information, visit www.xpcc.com/tx90



Product Snapshot

- 1000VA, 2000VA, 3000VA, 5000VA models
- Online double conversion technology
- Complete galvanic isolation provided with internal isolation transformer
- Wide input voltage range
- 3 years electronics, 3 years battery warranty (USA only)

Features

- The TX90 can accept 230V, 208V or 120V input voltage while maintaining 120V output (or 110, 115V)
- The TX90i can accept 230V, 208V or 120V input voltage while maintaining 230V output (or 208, 220, 240V)
- Isolation transformer
- Power conditioning
- ECO mode
- Multiple communications technology
- Smart battery charger
- LCD display

XTREME POWER

T90 6kVA & 10kVA Online UPS // 208VAC or 230VAC

For more information, visit www.xpcc.com/t6-10

Increase efficiency and reduce power consumption with this power online single-phase UPS

Product Snapshot

- Single module configurations: 6kVA/5.4kW and 10kVA/9kW
- Parallel capacity configurations: 12kVA/10.8kW to 40kVA/36kW
- Parallel redundant (N+1) configurations: 6kVA/5.4kW to 30kVA/27kW
- UL, cUL, CE, FCC, RoHS
- 3 years electronics, 3 years battery warranty (USA only)

Features

- 0.9 output power factor
- Frequency converter
- Parallel operation
- Hot swappable battery trays
- Maintenance bypass
- Extended battery runtimes
- Lockable casters



XTREME POWER

TX90 6kVA & 10kVA Isolated Online UPS // 240/120VAC

Isolated online UPS provides protection from all 10 common power problems

Product Snapshot

- Single module configurations: 6kVA/5.4kW and 10kVA/9kW
- Parallel capacity configurations: 12kVA/10.8kW to 40kVA/36kW
- Parallel redundant (N+1) configurations: 6kVA/5.4kW to 30kVA/27kW
- UL, cUL, CE, FCC, RoHS
- 3 years electronics, 3 years battery warranty (USA only)

Features

- 0.9 output power factor
- Frequency converter
- Parallel operation
- Galvanic isolation transformer
- Hot swappable battery trays
- Maintenance bypass
- Extended battery runtimes
- Lockable casters

For more information, visit www.xpcc.com/tx6-10



XTREME POWER

XPRT 6kVA & 10kVA Online UPS // 208/120VAC

For more information, visit www.xpcc.com/xprt6-10

High density power protection for network electronics



Product Snapshot

- 6kVA, 10kVA
- Input voltage auto sensing
- Hardwire or plug and receptacle
- N+1 parallel redundant capable
- Rack or tower mounting
- UL/FCC compliant
- 3 years electronics, 3 years battery warranty (USA only)

Features

- Hardwire input and output with terminal block connections or optional input cord and output receptacles
- Parallel up to three 10kVA systems for capacity or N+1 redundancy
- Modular battery packs are available for extended runtimes
- Supports mixed voltage loads and plug types
- Integrated maintenance bypass allows UPS electronics and battery to be serviced or replaced without interruption to critical load
- \$50,000 load protection policy

XTREME POWER

For more information, visit www.xpcc.com/r90

R90 Online Rack UPS // 415/240VAC, 400/230VAC, 380/220VAC

Reduce power consumption and increase end to end efficiency with this powerful three-phase rack UPS



Product Snapshot

- High output PF of 0.9
- Compact 3U design
- Up to 98% efficiency in ECO mode
- Voltage can be configured in 415/240V, 400/230V or 380/220V
- 50Hz or 60Hz operation
- 2 years electronics, 2 years battery warranty (USA only)

Features

- Up to ten (10) R90 units can be paralleled for N+1 redundancy or capacity up to 200kVA/180kW
- Scalable battery packs—up to eight (8) EBP32 battery packs can be paralleled for longer runtimes
- Multiple communications capability via RS232, USB & Web/SNMP
- High power density—20kVA/18kW of protection and backup power in just 6U of rack space
- Multiple input/output voltages—for configuration flexibility

XTREME POWER

XPDU // Rack Power Distribution

For more information, visit www.xpcc.com/xpdu

A cost effective rack power distribution solution designed to meet the needs of any modern data center



Product Snapshot

- Available in vertical (0U) and horizontal (1U) configurations
- Adds up to 14 receptacles
- Plug and power
- Advanced monitoring
- UL60950-1, cUL & FCC listed
- 3 year warranty (USA only)

Features

- On/off control of eight receptacles and a Web/SNMP interface allows for secure monitoring of cabinet power
- Space-saving mounting options reserve space for traditional 1U IT equipment
- Branch circuit protection—UL1077 listed output circuit breaker

XTREME POWER

XBDM // Bypass Distribution Module

For more information, visit www.xpcc.com/xbdm

Repair or replace your UPS without power interruption by manually transferring critical loads from UPS power to utility power



Product Snapshot

- Available in 15, 20 & 30 AMP models
- Simplifies UPS repair or replacement
- Reduces costly downtime
- Easily connects to UPS
- Offers surge protection during UPS and utility mode
- 3 year warranty (USA only)

Features

- Easily connects to any critical load(s)
- Simple to operate—LED indicators verify the availability of the UPS and utility sources to confirm that power is available
- Loads are surge protected even when UPS is in bypass mode
- Mounts at the front or rear of a 19" rack, both vertically and horizontally

Read the white paper *Hot Swappable Uninterruptible Power Supplies: Removing the Downtime in Data Centers* at www.xpcc.com/whitepaper

XTREME POWER

XBDM HW // Bypass Distribution Module

For more information, visit www.xpcc.com/xbdm_hw

XBDM HW provides UPS maintenance bypass with input and output hardwired terminal block connections



Product Snapshot

- 15A, 20A, 30A, and 63A models
- Simplifies UPS repair or replacement and reduces costly downtime
- Hardwired utility input and system output
- Bypass switch provides transfer within 8ms

Features

- Terminal block connections
- Power distribution
- Simple to operate
- Surge protection
- Static switch interlock
- Flexible mounting

XTREME POWER

XC // Cooling for Critical Electronics

For more information, visit www.xpcc.com/xc

Cost effective spot cooling
for critical electronics



Product Snapshot

- 13,200, 21,000 & 29,000BTU/H
- Available with an optional air discharge kit
- 1 year warranty (USA only)

Features

- Cools networks, communications and server rooms
- Can be used for primary, backup or after hours cooling
- Easy to install—just roll it in, plug it in and turn it on
- Features heavy duty, commercial-grade construction
- Uses earth-friendly R410A refrigerant